ERFECT ROJECT ERFECT ACKAGING

FourPack srl

ABOUT US OVERVIEW





FOUR PACK is an italian company located in the North West of Italy near the city of Turin that is specialized in the design and manufacturing of automatic systems for the handling and packaging of confectionery and bakery products.

The range of products includes rows removal distributors, feeding systems, primary and secondary flow-pack wrapping machines, channeling and stacking systems, vibrator feeding systems, volumetric loaders for stacked and on-edge products and X-Fold wrapping machines.


FOUR PACK is a dynamic company that bases the know-how on primary packaging manufacturing, thanks to the long term working experience and skill of the staff operating in the specific business for more than 20 years.


AUTOMATIC BAKERY LINE



BISCUITS - CRACKERS - TOAST BREAD - RUSKS


- ❖ HANDLING LINE FROM OVEN TO PRIMARY PACKAGING MACHINES
- CHANNELING PLATES
- ROW REDUCTION / MULTIPLING
- ❖ ROTARY / PENNY STACKERS
- ACCUMULATION CONVEYORS
- ❖ FORMING OF SINGLE / MULTIPLE STACKS OR SLUGS ON EDGE
- FEEDING SYSTEMS TO WRAPPING MACHINES (FLOW-PACK OR X-FOLD)
- ❖ AUTOMATIC FEEDING SYSTEMS TO CREAMING MACHINES.






AUTOMATIC BAKERY LINE





AUTOMATIC BAKERY LINE






AUTOMATIC BAKERY LINE







HANDLING SYSTEMS AUTOMATIC BAKERY LINE





BISCUITS LINE - CHANNELING PLATE - PENNY STACKER





PWS-STAR WHEEL STACKER





PSP SPREADER



RUSK SPREADING SYSTEM WITH ROTARY ROLLER OR CONVEYOR BELT

- MAXIMUM WIDTH UP TO 4000 mm
- MINIMUM THICKNESS OF RUSK FROM 8 mm



PSP SPREADER













PSP-R VACUUM SPREADER

RUSK SPREADING SYSTEM WITH VACUUM SUCTION



- MAXIMUM WIDTH UP TO 1500 mm
- MINIMUM THICKNESS OF RUSK FROM 4 mm
- POSSIBLE RUSK WITH VARIOUS INCLUSION



PSP-R VACUUM SPREADER












PVL-VOLUMETRIC LOADER





PVL-VOLUMETRIC LOADER





90° TRANSFER SOLUTIONS

BOE BISCUITS ON EDGE







- ❖ PACKS SPEED : up to 150 ppm
- FILM SPEED: 45 meters/min.
- ❖ PRODUCT FORMAT LENGTH: 70 to 200 mm
- PRODUCT FORMAT WIDTH: 40 to 75 mm
- ❖ PRODUCT FORMAT DIAMETER: 40 to 60 mm
- ◆ PRODUCT FORMAT HEIGHT: 60 mm



90° TRANSFER SOLUTIONS

RICE CAKE ON EDGE





❖ PACKS SPEED : up to 60 ppm





RICE CAKE CORN CAKE

PSL-PILE LOADER










PPL-PISTON LOADER










PGL-GRAVITY LOADER











RICE CAKES COMPLETE LINE


















VOLUMETRIC LOADER


RICE CAKES COMPLETE LINE














ROWS PREPARATION INLINE FEEDER


















PLACING SOLUTION

PRB-PICK AND PLACE LOADER












PLACING SOLUTION

PRB-PICK AND PLACE LOADER









PXW100E ROLL WRAPPER






PXW100E ROLL WRAPPER











PXW60 ROLL WRAPPER





PXW60 ROLL WRAPPER















PDS-ROWS DISTRIBUTION











PDS-GT GENTLE TRANSFER ROWS DISTRIBUTION







UNSTABLE PRODUCTS









PPS-INLINE FEEDER









90° ORIENTING CONVEYORS

PACKAGING LINE PPS-INLINE FEEDER









INLINE FEEDER AND PRESSURE-LESS SYNCHRONIZING BELTS WITH THE FLOW WRAPPER

COMPLETE PACKAGING LINE






ROWS REMOVAL DISTRIBUTION WITH SOFT TRANSFER HANDLING WITH FEEDING INLINE AND FLOWPACK MACHINES

PDS-R SOFT TRANSFER ROWS DISTRIBUTION WITH STORAGE AND RECYCLE





FLOW WRAPPER SOLUTIONS

FPW500/700 WRAPPING **MACHINE**





❖ FILM SPEED : 55 meters/min

FILM WIDTH: 500 mm (OPTIONAL 700 mm)

❖ PRODUCT FORMAT LENGTH: 70 to 300 mm

❖ PRODUCT FORMAT WIDTH: 10 to 150 mm

PRODUCT FORMAT HEIGHT: 70 mm

FLOW WRAPPER SOLUTIONS


FPW500 WRAPPING MACHINE











FLOW WRAPPER SOLUTIONS

FPW400 WRAPPING MACHINE





- ❖ PACKS SPEED: 300 ppm
- ❖ FILM SPEED : 35 meters/min
- ❖ FILM WIDTH: 400 mm (OPTIONAL 600 mm)
- PRODUCT FORMAT LENGTH: 40 to 450 mm (OPTIONAL 40 to 540 mm)
- PRODUCT FORMAT WIDTH: 10 to 190 mm (OPTIONAL 10 to 260 mm)
- ❖ PRODUCT FORMAT HEIGHT: max 90 mm

HANDLING SYSTEM FOR **WAFERS**

WAFER BOOKS / ROWS FEEDING SYSTEM











PCB-CONVEYOR BELTS FOR BOOKS FEEDER








HANDLING SYSTEM FOR WAFERS

INLINE FEEDING SYSTEM








PWSF-SIDE TRANSFER FEEDER

- ♦ 90° SIDE FEEDER (SINGLE / DOUBLE TRANSFER)
- SINGLE SPEED UP TO 120 PORTION/PACKS
- ❖ DOUBLE SPEED UP TO 240 PORTION/PACKS

PFTW-TRANSFER WHEEL FEEDER


- ROTARY WHEEL FEEDER (SINGLE TRANSFER)
- ❖ SPEED UP TO 110 PORTION/PACKS




VARIOUS SOLUTIONS

PILE LOADING AND GROUPING DEVICE










VARIOUS SOLUTIONS

HORIZONTAL END-FOLD FLAPS








VARIOUS SOLUTIONS

CARDBOARD FEEDER













FOUR PACK srl

Via Verga 40 Bis 10036 Settimo Torinese (Torino) Italy

phone: +39 011 19173496 email: sales@fourpack.it website: www.fourpack.it