

PANDA RED

FLEXIBLE FLOWPACK MACHINE FOR SIMPLE AUTOMATIC SYSTEMS



PANDA SERIES FLEXIBLE AND VERSATILE



Folding box



Bottom sealing unit



Bottom sealing unit



Rotating jaws

THE PANDA RED HORIZONTAL FLOW WRAPPING MACHINE IS A FLEXIBLE MACHINE THAT CAN FIND APPLICATION IN BOTH FOOD AND NON FOOD INDUSTRIES.




This machine can be integrated with multiple automatic feeding systems offered by IMA Record and can be equipped with all the main options in order to deliver the performance level required. The Panda Red is available in the Bottom Seal version with rotating sealing jaws for a packaging speed up to 240ppm. The stainless steel chassis and the availability of washdown infeed match the level of sanitation required by the food industry, including IQF applications. 100% made in Italy, with a simple and intuitive HMI, Panda Red can be easily connected for remote assistance and to the local ERP network.

KEY FEATURES


- SUITABLE FOR MEDIUM PERFORMANCES LEVEL
- POSSIBILITY TO BE INTEGRATED WITH FEEDING SYSTEMS
- WIDE RANGE OF OPTIONALS TO CHOOSE
- WASHDOWN INFEED AVAILABLE
- OUTPUT: UP TO 240 PPM



TECHNICAL DATA



Panda Red		
Machine speed (ppm max.)		240
Product dimensions (mm max.)	A	750
	B	280
	C	120 (160)
Film width (mm max.)		730
Cut-off length (mm max.)		850
Jaws width (mm max.)		350
Film linear speed (m/min.)		40



Record S.p.A.

info.record@ima.it • record.it/contact-us • ima.it

FOLLOW IMA    